

## **Test Report**

號碼(No.): CE/2014/95875 日期(Date): 2014/10/07 頁數(Page): 1 of 13

HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED

26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY CHINA

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

樣品名稱(Sample Description) : C1100 樣品型號(Style/Item No.) : C1100 收件日期(Sample Receiving Date) : 2014/09/30

測試期間(Testing Period) : 2014/09/30 TO 2014/10/07

\_\_\_\_\_\_\_

請見下一頁 (Please refer to next pages). 測試結果(Test Results) :





# **Test Report**

號碼(No.): CE/2014/95875 日期(Date): 2014/10/07

頁數(Page): 2 of 13

HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED

26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY CHINA



#### 測試結果(Test Results)

測試部位(PART NAME)No.1 : 銅色金屬 (COPPER COLORED METAL)

測試項目	單位	測試方法	方法偵測 極限値	結果 (Result)
(Test Items)	(Unit)	(Method)	作型「X-1直 (MDL)	No.1
鎬 / Cadmium (Cd)	mg/kg	参考IEC 62321-5: 2013方法,以感應	2	n.d.
		耦合電漿原子發射光譜儀檢測./With		
		reference to IEC 62321-5: 2013 and		
		performed by ICP-AES.		
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5: 2013方法,以感應	2	n.d.
		耦合電漿原子發射光譜儀檢測./With		
		reference to IEC 62321-5: 2013 and		
		performed by ICP-AES.		
汞 / Mercury (Hg)	mg/kg	参考IEC 62321-4: 2013方法,以感應	2	n.d.
		耦合電漿原子發射光譜儀檢測. / With		
		reference to IEC 62321-4: 2013 and		
		performed by ICP-AES.		
六價鉻 / Hexavalent Chromium Cr(VI)	**	参考IEC 62321: 2008方法,以沸水萃	#	Negative
		取法檢測. / With reference to IEC		
		62321: 2008 and performed by		
		Boiling water extraction Method.#		
绨 / Antimony (Sb)	mg/kg	参考US EPA 3050B方法,以感應耦合電	2	n.d.
		漿原子發射光譜儀檢測./With		
		reference to US EPA Method 3050B.		
		Analysis was performed by ICP-AES.		
鄰苯二甲酸丁苯甲酯 / BBP (Butyl	%	參考EN 14372, 以氣相層析/質譜儀檢	0.003	n.d.
Benzyl phthalate) (CAS No.: 85-68-7)		測. / With reference to EN 14372.		
		Analysis was performed by GC/MS.		
鄰苯二甲酸二 (2-乙基己基)酯 / DEHP	%	參考EN 14372, 以氣相層析/質譜儀檢	0.003	n.d.
(Di- (2-ethylhexyl) phthalate) (CAS		測. / With reference to EN 14372.		
No.: 117-81-7)		Analysis was performed by GC/MS.		
鄰苯二甲酸二異癸酯 / DIDP (Di-	%	參考EN 14372, 以氣相層析/質譜儀檢	0.01	n.d.
isodecyl phthalate) (CAS No.: 26761-		測. / With reference to EN 14372.		
40-0; 68515-49-1)		Analysis was performed by GC/MS.		



號碼(No.): CE/2014/95875

日期(Date): 2014/10/07

頁數(Page): 3 of 13

**Test Report** 

HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED

26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY CHINA

測試項目	單位	測試方法	方法偵測 極限値	結果 (Result)
(Test Items)	(Unit)	(Method)	(MDL)	No.1
鄰苯二甲酸二異壬酯 / DINP (Di- isononyl phthalate) (CAS No.: 28553- 12-0; 68515-48-0)	%	参考EN 14372, 以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.
鄰苯二甲酸二正辛酯 / DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	%	参考EN 14372, 以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
鄰苯二甲酸二丁酯 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	参考EN 14372, 以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
鄰苯二甲酸二異丁酯 / DIBP (Di- isobutyl phthalate) (CAS No.: 84-69- 5)	%	參考EN 14372, 以氣相層析/質譜儀檢 測. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
聚氯乙烯 / PVC	**	以紅外光譜分析及焰色法檢測./ Analysis was performed by FTIR and FLAME Test.	-	Negative
六溴環十二烷及所有主要被辨别出的異構物 / Hexabromocyclododecane (HBCDD) and all major diastereoisomers identified ( $\alpha$ -HBCDD, $\beta$ -HBCDD, $\gamma$ -HBCDD) (CAS No.: 25637-99-4 and 3194-55-6 (134237-51-7, 134237-50-6, 134237-52-8))	mg/kg	參考IEC 62321: 2008方法,以氣相層析/質譜儀檢測. / With reference to IEC 62321: 2008 method. Analysis was performed by GC/MS.	5	n.d.
鹵素 / Halogen				
鹵素(氟)/ Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg		50	n.d.
鹵素 (氣) / Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	mg/kg	参考BS EN 14582:2007, 以離子層析儀 分析. / With reference to BS EN	50	n.d.
鹵素 (溴) / Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	14582:2007. Analysis was performed by IC.	50	n.d.
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg		50	n.d.



**Test Report** 

號碼(No.): CE/2014/95875 日期(Date): 2014/10/07

頁數(Page): 4 of 13

HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED 26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY CHINA

測試項目	單位	測試方法	方法偵測 極限値	結果 (Result)
(Test Items)	(Unit)	(Method)	(MDL)	No.1
多溴聯苯總和 / Sum of PBBs	mg/kg		-	n.d.
一溴聯苯 / Monobromobiphenyl	mg/kg	1	5	n.d.
二溴聯苯 / Dibromobiphenyl	mg/kg	1	5	n.d.
三溴聯苯 / Tribromobiphenyl	mg/kg	1 Γ	5	n.d.
四溴聯苯 / Tetrabromobiphenyl	mg/kg	1 Γ	5	n.d.
五溴聯苯 / Pentabromobiphenyl	mg/kg	1	5	n.d.
六溴聯苯 / Hexabromobiphenyl	mg/kg	1 Γ	5	n.d.
七溴聯苯 / Heptabromobiphenyl	mg/kg	1	5	n.d.
八溴聯苯 / Octabromobiphenyl	mg/kg	1	5	n.d.
九溴聯苯 / Nonabromobiphenyl	mg/kg	▼   参考IEC 62321: 2008方法,以氣相層	5	n.d.
十溴聯苯 / Decabromobiphenyl	mg/kg	析/質譜儀檢測. / With reference to IEC 62321: 2008 and performed by	5	n.d.
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		-	n.d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg	GC/MS.	5	n.d.
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg	1	5	n.d.
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg	1 Γ	5	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg		5	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg		5	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg		5	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n.d.
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n.d.
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n.d.



# **Test Report**

號碼(No.): CE/2014/95875 日期(Date) : 2014/10/07

頁數(Page): 5 of 13

HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED 26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY CHINA

#### 備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. \*\*= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. Negative = Undetectable 陰性(未偵測到); Positive = Detectable 陽性(已偵測到)
- 7. # = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價鉻)
  - b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價鉻)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² tested areas . / 該溶液濃度≧0.02 mg/kg with 50 cm² (tested areas)



# **Test Report**

號碼(No.): CE/2014/95875


日期(Date): 2014/10/07

頁數(Page): 6 of 13

HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED

26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY CHINA

- 1) 根據以下的流程圖之條件,樣品已完全溶解。( 六價鉻測試方法除外 ) / These samples were dissolved totally by pre-conditioning method according to below flow chart. ( Cr<sup>6+</sup> test method excluded )
- 2) 测試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 测試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



#### Note\*\* (For IEC 62321)

- (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.
- (2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.



## **Test Report**

號碼(No.): CE/2014/95875

日期(Date) : 2014/10/07

頁數(Page): 7 of 13


HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED

26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY CHINA

- 1) 根據以下的流程圖之條件,樣品已完全溶解。 / These samples were dissolved totally by pre-conditioning method according to below flow chart.
- 2) 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

#### 元素以 ICP-AES 分析的消化流程圖

(Flow Chart of digestion for the elements analysis performed by ICP-AES)



鋼,銅,鋁,焊錫 / Steel, copper, aluminum, solder	王水,硝酸,鹽酸,氫氟酸,雙氧水 /
	Aqua regia, HNO3, HC1, HF, H2O2
玻璃 / Glass	硝酸,氫氟酸 / HNO <sub>3</sub> /HF
金,鉑,鈀,陶瓷 / Gold, platinum, palladium, ceramic	王水 / Aqua regia
銀 / Silver	硝酸 / HNO3
塑膠 / Plastic	硫酸,雙氧水,硝酸,鹽酸 / H2SO4, H2O2, HNO3, HC1
其他 / Others	加入適當的試劑至完全溶解 / Added appropriate
	reagent to total digestion



號碼(No.): CE/2014/95875

日期(Date): 2014/10/07

頁數(Page): 8 of 13


**Test Report** 

HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED
26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY CHINA



#### 可塑劑分析流程圖 / Analytical flow chart of phthalate content

- 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





**Test Report** 

號碼(No.): CE/2014/95875 日期(Date): 2014/10/07

頁數(Page): 9 of 13

26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY CHINA


HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED



#### 聚氯乙烯物質判定分析流程圖 /

#### Analysis flow chart for determination of PVC in material

- 測試人員:林建宇 / Name of the person who made measurement: Roy Lin
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang






**Test Report** 

號碼(No.): CE/2014/95875 日期(Date): 2014/10/07 頁數(Page): 10 of 13

HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED 26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY CHINA

#### 六溴環十二烷分析流程圖 / HBCDD analytical flow chart

- 測試人員:翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





號碼(No.) : CE/2014/95875

日期(Date): 2014/10/07

頁數(Page): 11 of 13


**Test Report** 

HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED

26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY CHINA

### 鹵素分析流程圖 / Analytical flow chart of halogen content

- 測試人員:陳恩臻 / Name of the person who made measurement: Rita Chen
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





## **Test Report**

號碼(No.): CE/2014/95875 日期(Date): 2014/10/07 頁數(Page)

頁數(Page): 12 of 13


HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED

26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY CHINA

#### 多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

確認程序 / Confirmation process - - - - ▶





**Test Report** 

號碼(No.): CE/2014/95875 日期(Date): 2014/10/07


頁數(Page): 13 of 13

HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED

26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY CHINA

\* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2014/95875



\*\* 報告結尾 (End of Report) \*\*