

RoHS Material Reports

Date: 2012/11/29

Part NO.: SRP7030 Series

No.	Construction Element	Homogeneous Material	Report No.	Remark	
NO.	(subpart)	Homogeneous Material	Date	Remark	
1	Iron Body	Iron Powder	CE/2012/B1585A	RoHS	
_	Trom Body	Ifon Fowder	2012/11/15	Halogen	
2	Body-Coating	Epoxy	CE/2012/21354	RoHS	
	Body-Coating	Ероху	2012/2/16	Halogen	
3	Circuit-Copper	Copper Wire	CE/2012/B1589	RoHS	
3	Circuit-Coppei	соррег иле	2012/11/15	KUIIS	
4	Circuit-Coating	Polyurethane-Based	KA/2012/21352	RoHS	
7	4 Circuit-Coating	Insulation Varnish	2012/2/24	Halogen	
5	Terminal-Clip	Copper (C1100)	CE/2012/34847	RoHS	
3	Terminar-Ciip	Copper (C1100)	2012/3/26	KUIIS	
6	Solder	Lead Free Solder	CE/2012/41099	RoHS	
O	Solder	Leau Free Solder	2012/4/12	Halogen	
			CANEC1201952502	RoHS	
7	Marking	INK-White	2012/3/7	KUIIS	
'	inai Kiliy	TINK-MILITE	CANEC1112635002	- Halogen	
			2012/1/5		



Signature Not Verified For Question Please Contact with SGS www.tw.sgs<mark>..q</mark>om

Test Report Page: 1 of 7 No.: CE/2012/B1585A Date: 2012/11/27

BOURNS, INC. 1200 COLUMBIA AVE.RIVERSIDE, CA 92507, USA



The following sample(s) was/were submitted and identified by/on behalf of the client as:

Sample Description **IRON POWDER**

Style/Item No. L500

Sample Receiving Date : 2012/11/08

Testing Period 2012/11/08 TO 2012/11/15

: (1) As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to **Test Requested**

determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs contents in the submitted

sample.

(2) As specified by client, to test Halogen-Fluorine, Chlorine, Bromine, Iodine

contents in the submitted sample.

Test Method Please refer to next page(s).

Please refer to next page(s). Test Result(s)

Chenyu Kung / Signed for and on SGS TAIWAN LTD. Chemical Laboratory - Taipei



No.: CE/2012/B1585A Date: 2012/11/27 Page: 2 of 7

BOURNS, INC.

1200 COLUMBIA AVE.RIVERSIDE, CA 92507, USA



Test Result(s)

PART NAME No.1 : DK. GRAY METAL POWDER

Toot Itom(a)	Unit	Mothed	MDL	Result
Test Item(s)	Unit	Method	MDL	No.1
Cadmium (Cd)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Lead (Pb)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Mercury (Hg)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Hexavalent Chromium Cr(VI)	mg/kg	With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.
Sum of PBBs			-	n.d.
Monobromobiphenyl			5	n.d.
Dibromobiphenyl			5	n.d.
Tribromobiphenyl		With reference to IEC 62321: 2008 and performed by GC/MS.	5	n.d.
Tetrabromobiphenyl			5	n.d.
Pentabromobiphenyl			5	n.d.
Hexabromobiphenyl			5	n.d.
Heptabromobiphenyl			5	n.d.
Octabromobiphenyl			5	n.d.
Nonabromobiphenyl			5	n.d.
Decabromobiphenyl	ma/ka		5	n.d.
Sum of PBDEs	mg/kg		=	n.d.
Monobromodiphenyl ether			5	n.d.
Dibromodiphenyl ether			5	n.d.
Tribromodiphenyl ether			5	n.d.
Tetrabromodiphenyl ether			5	n.d.
Pentabromodiphenyl ether			5	n.d.
Hexabromodiphenyl ether			5	n.d.
Heptabromodiphenyl ether			5	n.d.
Octabromodiphenyl ether			5	n.d.
Nonabromodiphenyl ether			5	n.d.
Decabromodiphenyl ether			5	n.d.



No.: CE/2012/B1585A Date: 2012/11/27 Page: 3 of 7

BOURNS, INC.

1200 COLUMBIA AVE.RIVERSIDE, CA 92507, USA

Test Item(s)	11:4:4	Method	MDL	Result
	Unit			No.1
Halogen				
Halogen-Fluorine (F) (CAS No.: 14762-94-8)			50	n.d.
Halogen-Chlorine (CI) (CAS No.: 22537-15-1)		With reference to BS EN 14582:2007.	50	n.d.
Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	Analysis was performed by IC.	50	n.d.
Halogen-lodine (I) (CAS No.: 14362-44-8)			50	n.d.

Note:

1. mg/kg = ppm; 0.1wt% = 1000ppm

2. n.d. = Not Detected

3. MDL = Method Detection Limit

4. " - " = Not Regulated




No.: CE/2012/B1585A Date: 2012/11/27

BOURNS, INC. 1200 COLUMBIA AVE.RIVERSIDE, CA 92507, USA



Page: 4 of 7

- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 2) Name of the person who made measurement: Climbgreat Yang



Note**: (1) For non-metallic material, add alkaline digestion reagent and heat to 90~95°C.

(2) For metallic material, add pure water and heat to boiling.



No.: CE/2012/B1585A

Date: 2012/11/27


Page: 5 of 7

BOURNS, INC. 1200 COLUMBIA AVE.RIVERSIDE, CA 92507, USA



PBB/PBDE analytical FLOW CHART

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang






No.: CE/2012/B1585A Date: 2012/11/27 Page: 6 of 7

BOURNS, INC. 1200 COLUMBIA AVE.RIVERSIDE, CA 92507, USA

Analytical flow chart of halogen content

- 1) Name of the person who made measurement: Rita Chen
- 2) Name of the person in charge of measurement: Troy Chang





No.: CE/2012/B1585A

Date: 2012/11/27

Page: 7 of 7

BOURNS, INC.

1200 COLUMBIA AVE.RIVERSIDE, CA 92507, USA

* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2012/B1585



** End of Report **



號碼(No.) : CE/2012/21354 日期(Date) : 2012/02/16 頁數(Page) : 1 of 9

PELNOX CO., LTD.

8-7 BODAI, HADANO CITY, KANAGAWA 259-1302, JAPAN

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) : EPOXY ME-5890LC 樣品型號(Style/Item No.) : EPOXY ME-5890LC

收件日期(Sample Receiving Date) : 2012/2/10

測試期間(Testing Period) : 2012/2/10 TO 2012/02/16

請見下一頁 (Please refer to next pages). 測試結果(Test Results) :

Chenyu Kung / Signed for and on behalf o SGS TAIWAN LTD. Chemical Laboratory – Taipei



號碼(No.): CE/2012/21354 日期(Date): 2012/02/16 頁數(Page): 2 of 9

PELNOX CO., LTD.

8-7 BODAI, HADANO CITY, KANAGAWA 259-1302, JAPAN

測試結果(Test Results)

測試部位(PART NAME)No.1 : 黑色膏狀 (BLACK PASTE)

測試項目 (T	單位 (Unit)	測試方法 (Method)	方法偵測 極限値	結果 (Result)
(Test Items)	(Unit)	(method)	(MDL)	No.1
鎘 / Cadmium (Cd)	mg/kg	参考IEC 62321: 2008方法, 以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321: 2008方法,以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
汞 / Mercury (Hg)	mg/kg	參考IEC 62321: 2008方法, 以感應耦合電 漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
六價絡 / Hexavalent Chromium Cr(VI)	mg/kg	参考IEC 62321: 2008方法, 以UV-VIS檢測. / With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.
六溴環十二烷 / Hexabromocyclododecane (HBCDD) (CAS No.: 25637-99-4)	mg/kg	參考US EPA 3540C方法,以氣相層析/質譜 儀檢測. / With reference to US EPA 3540C method. Analysis was performed by GC/MS.	5	n.d.
鄰苯二甲酸甲苯基丁 / BBP (Benzyl butyl phthalate) (CAS No.: 85-68-7)	%	参考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
鄰苯二甲酸二 (2-乙基己基) / DEHP (Di- (2-ethylhexyl) phthalate) (CAS No.: 117-81-7)	%	参考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.



號碼(No.): CE/2012/21354 日期(Date): 2012/02/16 頁數(Page): 3 of 9

PELNOX CO., LTD.

8-7 BODAI, HADANO CITY, KANAGAWA 259-1302, JAPAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
鄰苯二甲酸二異癸 / DIDP (Di- isodecyl phthalate) (CAS No.: 26761-40-0)	%	參考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.
鄰苯二甲酸二異壬 / DINP (Di- isononyl phthalate) (CAS No.: 28553-12-0)	%	參考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.01	n.d.
鄰苯二甲酸二正辛 / DNOP (Di-n-octyl phthalate) (CAS No.: 117-84-0)	%	參考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
鄰苯二甲酸二丁 / DBP (Dibutyl phthalate) (CAS No.: 84-74-2)	%	參考EN 14372, 以氣相層析/質譜儀檢測之. / With reference to EN 14372. Analysis was performed by GC/MS.	0.003	n.d.
鹵素 / Halogen				
鹵素(氟)/ Halogen-Fluorine (F) (CAS No.: 14762-94-8)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 14362-44-8)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素(氣)/ Halogen-Chlorine (Cl) (CAS No.: 22537-15-1)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	479



號碼(No.) : CE/2012/21354 日期(Date) : 2012/02/16 頁數(Page) : 4 of 9

PELNOX CO., LTD.

8-7 BODAI, HADANO CITY, KANAGAWA 259-1302, JAPAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
多溴聯苯總和 / Sum of PBBs			-	n.d.
一溴聯苯 / Monobromobiphenyl			5	n.d.
二溴聯苯 / Dibromobiphenyl			5	n.d.
三溴聯苯 / Tribromobiphenyl			5	n.d.
四溴聯苯 / Tetrabromobiphenyl			5	n.d.
五溴聯苯 / Pentabromobiphenyl			5	n.d.
六溴聯苯 / Hexabromobiphenyl		参考IEC 62321: 2008方法,以氣相層析儀/質譜儀檢測. / With reference to IEC 62321: 2008 and performed by GC/MS.	5	n.d.
七溴聯苯 / Heptabromobiphenyl			5	n.d.
八溴聯苯 / Octabromobiphenyl	1		5	n.d.
九溴聯苯 / Nonabromobiphenyl			5	n.d.
十溴聯苯 / Decabromobiphenyl	/1		5	n.d.
多溴聯苯 總和 / Sum of PBDEs	mg/kg		-	n.d.
一溴聯苯 / Monobromodiphenyl ether			5	n.d.
二溴聯苯 / Dibromodiphenyl ether			5	n.d.
三溴聯苯 / Tribromodiphenyl ether			5	n.d.
四溴聯苯 / Tetrabromodiphenyl ether			5	n.d.
五溴聯苯 / Pentabromodiphenyl ether			5	n.d.
六溴聯苯 / Hexabromodiphenyl ether			5	n.d.
七溴聯苯 / Heptabromodiphenyl ether			5	n.d.
八溴聯苯 / Octabromodiphenyl ether			5	n.d.
九溴聯苯 / Nonabromodiphenyl ether			5	n.d.
十溴聯苯 / Decabromodiphenyl ether			5	n.d.

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)



測試報告


Test Report

號碼(No.) : CE/2012/21354 日期(Date) : 2012/02/16 頁數(Page) : 5 of 9

PELNOX CO., LTD.

8-7 BODAI, HADANO CITY, KANAGAWA 259-1302, JAPAN

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr^{6+} test method excluded)
- 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang






號碼(No.) : CE/2012/21354 日期(Date) : 2012/02/16 頁數(Page) : 6 of 9

PELNOX CO., LTD.

8-7 BODAI, HADANO CITY, KANAGAWA 259-1302, JAPAN

鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 測試人員: 陳恩臻 / Name of the person who made measurement: Rita Chen
- 2) 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





號碼(No.) : CE/2012/21354 日期(Date) : 2012/02/16 頁數(Page) : 7 of 9


PELNOX CO., LTD.

8-7 BODAI, HADANO CITY, KANAGAWA 259-1302, JAPAN

索式萃取分析流程圖 / Analytical flow chart of Soxhlet extraction (GC/MS) procedure

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

【測試項目: 可塑劑、苯並三唑類化合物、六溴環十二烷、壬 、單甲基二溴二苯基甲烷、 有機磷化合物 / Test Items: Phthalate、Benzotriazole、HBCDD、NP、DBBT、Organic phosphorus compounds]





號碼(No.) : CE/2012/21354 日期(Date) : 2012/02/16 頁數(Page) : 8 of 9


PELNOX CO., LTD.

8-7 BODAI, HADANO CITY, KANAGAWA 259-1302, JAPAN

分析流程圖 / Analytical flow chart

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

【測試項目(Test Items): 多溴聯苯/多溴聯苯 、四溴雙 -A-雙 / PBB/PBDE, TBBP-A-bis】





號碼(No.) : CE/2012/21354 日期(Date) : 2012/02/16 頁數(Page) : 9 of 9


PELNOX CO., LTD.

8-7 BODAI, HADANO CITY, KANAGAWA 259-1302, JAPAN

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. *

(The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2012/21354



CE/2012/21354



** 報告結尾 (End of Report) **



測試報告

號碼(No.): CE/2012/B1589

日期(Date): 2012/11/15

頁數(Page): 1 of 6

Test Report

榮星電線工業股份有限公司

JUNG SHING WIRE CO., LTD.

台南市仁德區中正路三段231號

測試需求(Test Requested):

NO. 231, SEC. 3, CHUNG-CHENG RD., JEN-TEH DISTRICT, TAINAN CITY 71757, TAIWAN

以下測試樣品係由客户送樣, 且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) : COPPER WIRE (銅線)

樣品型號(Style/Item No.) : C-02-001C 收件日期(Sample Receiving Date) : 2012/11/08

測試期間(Testing Period) : 2012/11/08 TO 2012/11/15

依據客户要求,參考RoHS 2011/65/EU Annex II 指令進行鎘, 鉛, 汞, 六價鉻, 多溴聯苯, 多溴聯苯醚測試. (As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to determine Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs

contents in the submitted sample.)

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

Chenyu Kung Apperation Manager Signed for and on seha from ASGS TAIWAN LTD. Chemical Laboratory – Taipei

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not expressed a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2012/B1589 日期(Date): 2012/11/15 頁數(Page): 2 of 6

榮星電線工業股份有限公司 JUNG SHING WIRE CO., LTD. 台南市仁德區中正路三段231號 NO. 231, SEC. 3, CHUNG-CHENG RD., JEN-TEH DISTRICT, TAINAN CITY 71757, TAIWAN

測試結果(Test Results)

測試部位(PART NAME)No.1 : 銅色金屬線 (COPPER COLORED METAL WIRE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321: 2008方法,以感應耦合電 漿原子發射光譜儀檢測./ With reference to IEC 62321: 2008 and performed by	2	n.d.
鉛 / Lead (Pb)	mg/kg		2	n.d.
汞 / Mercury (Hg)	mg/kg	ICP-AES.	2	n.d.
六價貉 / Hexavalent Chromium Cr(VI)	**	参考IEC 62321: 2008方法,以沸水萃取法 檢測. / With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.#	#	Negative
多溴聯苯總和 / Sum of PBBs	mg/kg		ı	n.d.
一溴聯苯 / Monobromobiphenyl	mg/kg		5	n.d.
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n.d.
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n.d.
四溴聯苯 / Tetrabromobiphenyl	mg/kg	参考IEC 62321: 2008方法, 以氣相層析/質	5	n.d.
五溴聯苯 / Pentabromobiphenyl	mg/kg	譜儀檢測. / With reference to IEC	5	n.d.
六溴聯苯 / Hexabromobiphenyl	mg/kg	62321: 2008 and performed by GC/MS.	5	n.d.
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n.d.
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n.d.
九溴聯苯 / Nonabromobiphenyl	mg/kg		5	n.d.
十溴聯苯 / Decabromobiphenyl	mg/kg		5	n.d.



測試報告

號碼(No.): CE/2012/B1589

日期(Date): 2012/11/15

頁數(Page): 3 of 6

Test Report

榮星電線工業股份有限公司

JUNG SHING WIRE CO., LTD.

台南市仁德區中正路三段231號

NO. 231, SEC. 3, CHUNG-CHENG RD., JEN-TEH DISTRICT, TAINAN CITY 71757, TAIWAN

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		-	n.d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg		5	n.d.
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n.d.
三溴聯苯醚 / Tribromodiphenyl ether	mg/kg		5	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg	參考IEC 62321: 2008方法, 以氣相層析/質	5	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg	譜儀檢測. / With reference to IEC	5	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether	mg/kg	62321: 2008 and performed by GC/MS.	5	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n.d.
八溴聯苯醚 / Octabromodiphenyl ether	mg/kg		5	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n.d.
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n.d.

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. # = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價鉻)
 - b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價鉻)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² tested areas. / 該溶液濃度≧0.02 mg/kg with 50 cm² (tested areas)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration foregover of slability and expenses of this document is advised to the full of the content of t Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



測試報告

號碼(No.): CE/2012/B1589

日期(Date): 2012/11/15

頁數(Page): 4 of 6

Test Report


榮星電線工業股份有限公司

JUNG SHING WIRE CO., LTD.

台南市仁德區中正路三段231號

NO. 231, SEC. 3, CHUNG-CHENG RD., JEN-TEH DISTRICT, TAINAN CITY 71757, TAIWAN

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 測試人員:楊登偉 / Name of the person who made measurement: Climbgreat Yang
- 3) 测試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang



Note**:(1) 針對非金屬材料加入鹼性消化液 ·加熱至 90~95℃ 萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95°C

(2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration foregover of slability and expenses of this document is advised to the full of the content of t Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2012/B1589

日期(Date): 2012/11/15

頁數(Page): 5 of 6

榮星電線工業股份有限公司 JUNG SHING WIRE CO., LTD.

台南市仁德區中正路三段231號


NO. 231, SEC. 3, CHUNG-CHENG RD., JEN-TEH DISTRICT, TAINAN CITY 71757, TAIWAN

多溴聯苯/多溴聯苯醚分析流程圖 / PBB/PBDE analytical FLOW CHART

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

初次測試程序 / First testing process -選擇性篩檢程序 / Optional screen process •••••

確認程序 / Confirmation process - - -





測試報告

號碼(No.): CE/2012/B1589

日期(Date): 2012/11/15

頁數(Page): 6 of 6

Test Report

榮星電線工業股份有限公司 JUNG SHING WIRE CO., LTD.

台南市仁德區中正路三段231號

NO. 231, SEC. 3, CHUNG-CHENG RD., JEN-TEH DISTRICT, TAINAN CITY 71757, TAIWAN

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. *

(The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2012/B1589



** 報告結尾 (End of Report) **



測試報告

Test Report

Signature Not Verified For Question Please Contact with SGS www.tw.sgs.qom

號碼(No.) : KA/2012/21352 日期(Date) : 2012/02/24 頁數(Page) : 1 of 8

榮星雷線(蘇州)有限公司

JUNG SHING WIRE (SUZHOU)CO., LTD.

215200吳江市經濟技術開發區運東大道558號

NO. 558, YUNDONG BOULEVARD WUJIANG ECONOMIC AND TECHNOLOGICAL DEVELOPMENT ZONE WUJIANG CITY JIANG SU PROVINCE, 215200 CHINA

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description)

樣品型號(Style/Item No.)

製造批號

收件日期(Sample Receiving Date)

測試期間(Testing Period)

送樣廠商(Sample Submitted By)

漆包線上的銅色漆膜(COPPER COLORED COATING ON THE MAGNET WIRE)

E370215120216

: 2012/02/20

: 2012/02/20 TO 2012/02/24

榮星電線工業股份有限公司 (JUNG SHING WIRE CO., LTD.)

測試結果(Test Results) : 請見下一頁 (Please refer to next pages).

Ray Chang / Asst. Manage Signed for and on behalf of **SGS Taiwan Limited**

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or the transaction documents. This document cannot be reproduced except of the fillest extent of the law.

SGS Talwan Ltd. No. 61, Kai-Fa Road, Nanzih Export Processing Zone , Kaohsiung, Taiwan /



號碼(No.): KA/2012/21352 日期(Date): 2012/02/24 頁數(Page): 2 of 8

榮星雷線(蘇州)有限公司

JUNG SHING WIRE (SUZHOU)CO., LTD.

215200吳江市經濟技術開發區運東大道558號

NO. 558, YUNDONG BOULEVARD WUJIANG ECONOMIC AND TECHNOLOGICAL DEVELOPMENT ZONE WUJIANG CITY JIANG SU PROVINCE, 215200 CHINA

測試結果(Test Results)

測試部位(PART NAME) NO.1 漆包線上的銅色漆膜 (COPPER COLORED COATING ON THE MAGNET WIRE)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
鎬 / Cadmium (Cd)	mg/kg	参考IEC 62321: 2008方法, 用感應藕合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321: 2008方法,用感應藕合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
汞 / Mercury (Hg)	mg/kg	參考IEC 62321: 2008方法, 用感應藕合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
六價鉻 / Hexavalent Chromium Cr(VI) by alkaline extraction	mg/kg	参考IEC 62321: 2008方法,用UV-VIS檢測./ With reference to IEC 62321: 2008 and performed by UV-VIS.	2	n.d.
多溴聯苯總和 / Sum of PBBs			-	n.d.
一溴聯苯 / Monobromobiphenyl			5	n.d.
二溴聯苯 / Dibromobiphenyl			5	n.d.
三溴聯苯 / Tribromobiphenyl			5	n.d.
四溴聯苯 / Tetrabromobiphenyl		參考IEC 62321: 2008方法,以氣相層析儀/質	5	n.d.
五溴聯苯 / Pentabromobiphenyl	mg/kg	譜儀檢測. / With reference to IEC 62321:	5	n.d.
六溴聯苯 / Hexabromobiphenyl		2008 and performed by GC/MS.	5	n.d.
七溴聯苯 / Heptabromobiphenyl			5	n.d.
八溴聯苯 / Octabromobiphenyl			5	n.d.
九溴聯苯 / Nonabromobiphenyl			5	n.d.
十溴聯苯 / Decabromobiphenyl			5	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 除非另有認明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and objections under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or the transaction documents. This document cannot be reproduced except in this, without prior written appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tawan Ltd., No. 61, Kai-Fa Road, Nanzih Export Processing Zone , Kaohsiung, Taiwan /

台灣檢驗科技股份有限公司 t + 886 (07)301 2121 f + 886 (07)3010867 高雄市楠梓加工出口區開發路61號 www.tw.sas.com



號碼(No.): KA/2012/21352 日期(Date): 2012/02/24 頁數(Page): 3 of 8

榮星電線(蘇州)有限公司

JUNG SHING WIRE (SUZHOU)CO., LTD.

215200吳江市經濟技術開發區運東大道558號

NO. 558, YUNDONG BOULEVARD WUJIANG ECONOMIC AND TECHNOLOGICAL DEVELOPMENT ZONE WUJIANG CITY JIANG SU PROVINCE, 215200 CHINA

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) NO.1
多溴聯苯醚總和 / Sum of PBDEs			-	n.d.
一溴聯苯醚 / Monobromodiphenyl ether			5	n.d.
二溴聯苯醚 / Dibromodiphenyl ether			5	n.d.
三溴聯苯醚 / Tribromodiphenyl ether			5	n.d.
四溴聯苯醚 / Tetrabromodiphenyl ether		參考IEC 62321: 2008方法, 以氣相層析儀/質	5	n.d.
五溴聯苯醚 / Pentabromodiphenyl ether	mg/kg	譜儀檢測. / With reference to IEC 62321:	5	n.d.
六溴聯苯醚 / Hexabromodiphenyl ether		2008 and performed by GC/MS.	5	n.d.
七溴聯苯醚 / Heptabromodiphenyl ether			5	n.d.
八溴聯苯醚 / Octabromodiphenyl ether			5	n.d.
九溴聯苯醚 / Nonabromodiphenyl ether			5	n.d.
十溴聯苯醚 / Decabromodiphenyl ether			5	n.d.
鹵素 / Halogen				
鹵素 (氟) / Halogen-Fluorine (F) (CAS No.: 014762-94-8)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析./ With reference to BS EN 14582:2007.	50	n.d.
		Analysis was performed by IC.		
鹵素(氯)/ Halogen-Chlorine (Cl) (CAS No.: 022537-15-1)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析./ With reference to BS EN 14582:2007. Analysis was performed by IC.	50	162
鹵素 (溴) / Halogen-Bromine (Br) (CAS No.: 010097-32-2)	mg/kg	参考BS EN 14582:2007, 以離子層析儀分析./ With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 014362-44-8)	mg/kg	參考BS EN 14582:2007, 以離子層析儀分析. / With reference to BS EN 14582:2007. Analysis was performed by IC.	50	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company,除非另有認明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可能分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. | No. 61, Kai-Fa Read, Nanzih Export Processing Zone , Kaohsiung, Taiwan / Achsiung, Taiwan / Bair Alexan / Bair A

台灣檢驗科技股份有限公司 t + 886 (07)301 2121 f + 886 (07)3010867

www.tw.sas.com



號碼(No.): KA/2012/21352 日期(Date): 2012/02/24 頁數(Page): 4 of 8

榮星雷線(蘇州)有限公司

JUNG SHING WIRE (SUZHOU)CO., LTD.

215200吳江市經濟技術開發區運東大道558號

NO. 558, YUNDONG BOULEVARD WUJIANG ECONOMIC AND TECHNOLOGICAL DEVELOPMENT ZONE WUJIANG CITY JIANG SU PROVINCE, 215200 CHINA

備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 除非另有認明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and objections under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or the transaction documents. This document cannot be reproduced except in this willout pile. While the produced except in this willout pile in the law appearance of this document is unlawful and offenders may be prosecuted to the law.

SGS Taiwan Ltd. , No. 61, Kai-Fa Road, Nanzih Export Processing Zone , Kaohsiung, Taiwan /

台灣檢驗科技股份有限公司 t + 886 (07)301 2121 f + 886 (07)3010867 高雄市楠梓加工出口區開發路61號



測試報告

Test Report

號碼(No.) : KA/2012/21352 日期(Date) : 2012/02/24 頁數(Page) : 5 of 8


榮星雷線(蘇州)有限公司

JUNG SHING WIRE (SUZHOU)CO., LTD.

215200吳江市經濟技術開發區運東大道558號

NO. 558, YUNDONG BOULEVARD WUJIANG ECONOMIC AND TECHNOLOGICAL DEVELOPMENT ZONE WUJIANG CITY JIANG SU PROVINCE, 215200 CHINA

- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 2) 测試人員:張俊雄 / Name of the person who made measurement: Alex Chang
- 3) __测試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or the transaction documents. This document cannot be reproduced except in this willout pile. While the produced except in this willout pile in the law appearance of this document is unlawful and offenders may be prosecuted to the law.

SGS Taiwan Ltd. , No. 61, Kai-Fa Road, Nanzih Export Processing Zone , Kaohsiung, Taiwan /

f + 886 (07)3010867

高雄市楠梓加工出口區開發路61號



號碼(No.) : KA/2012/21352 日期(Date) : 2012/02/24 頁數(Page) : 6 of 8

榮星雷線(蘇州)有限公司

JUNG SHING WIRE (SUZHOU)CO., LTD.

215200吳江市經濟技術開發區運東大道558號

NO. 558, YUNDONG BOULEVARD WUJIANG ECONOMIC AND TECHNOLOGICAL DEVELOPMENT ZONE WUJIANG CITY JIANG SU PROVINCE, 215200 CHINA


多溴聯苯/多溴聯苯醚 分析流程圖 / PBB/PBDE analytical FLOW CHART

1)測試人員:曹嘉琪 / Name of the person who made measurement: Anson Tsao 2)测試負責人:張伯睿 / Name of the person in charge of measurement: Ray Chang

初次測試程序 / First testing process —

選擇性篩檢程序 / Optional screen process

確認程序 / Confirmation process - · - ▶



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 除非另有認明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or the transaction documents. This document cannot be reproduced except in this willout pile. While the produced except in this willout pile in the law appearance of this document is unlawful and offenders may be prosecuted to the law.

SGS Taiwan Ltd. , No. 61, Kai-Fa Road, Nanzih Export Processing Zone , Kaohsiung, Taiwan /

t + 886 (07)301 2121 f + 886 (07)3010867 高雄市楠梓加工出口區開發路61號 www.tw.sas.com



號碼(No.): KA/2012/21352 日期(Date): 2012/02/24 頁數(Page): 7 of 8

榮星雷線(蘇州)有限公司


JUNG SHING WIRE (SUZHOU)CO., LTD.

215200吳江市經濟技術開發區運東大道558號

NO. 558, YUNDONG BOULEVARD WUJIANG ECONOMIC AND TECHNOLOGICAL DEVELOPMENT ZONE WUJIANG CITY JIANG SU PROVINCE, 215200 CHINA

鹵素分析流程圖 / Analytical flow chart of halogen content

- 1) 測試人員: 洪秀眞/ Name of the person who made measurement: Jean Hung
- 2) 測試負責人:張伯睿/ Name of the person in charge of measurement: Ray Chang



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company 除非另有認明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for

electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or the transaction documents. This document cannot be reproduced except in this, without prior written appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Tawan Ltd., No. 61, Kai-Fa Road, Nanzih Export Processing Zone , Kaohsiung, Taiwan /

高雄市楠梓加工出口區開發路61號



號碼(No.) : KA/2012/21352 日期(Date) : 2012/02/24 頁數(Page) : 8 of 8

榮星電線(蘇州)有限公司

JUNG SHING WIRE (SUZHOU)CO., LTD.

215200吳江市經濟技術開發區運東大道558號

NO. 558, YUNDONG BOULEVARD WUJIANG ECONOMIC AND TECHNOLOGICAL DEVELOPMENT ZONE WUJIANG CITY JIANG SU PROVINCE, 215200 CHINA

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. *

(The tested sample / part is marked by an arrow if it's shown on the photo.)

KA/2012/21352



KA/2012/21352



** 報告結尾(End of Report) **

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limitation of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or

the transaction documents. This document cannot be reproduced except in this willout pile. While the produced except in this willout pile in the law appearance of this document is unlawful and offenders may be prosecuted to the law.

SGS Taiwan Ltd. , No. 61, Kai-Fa Road, Nanzih Export Processing Zone , Kaohsiung, Taiwan / 台灣檢驗科技股份有限公司

高雄市楠梓加工出口區開發路61號



Signature Not Verified For Question Please Contact with SGS www.tw.sgs.qom

Test Report Page: 1 of 6 No.: CE/2012/34847 Date: 2012/03/26

HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED 26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY **CHINA**

The following sample(s) was/were submitted and identified by/on behalf of the client as:

Sample Description : C1100 Style/Item No. : C1100 Sample Receiving Date : 2012/03/19

Testing Period : 2012/03/19 TO 2012/03/26

: As specified by client, with reference to RoHS Directive 2011/65/EU Annex II to **Test Requested**

determine Cadmium, Lead, Mercury, Cr(VI), PBBs,PBDEs contents in the

submitted sample.

: Please refer to next page(s). Test Result(s)

Chenyu Kung Signed for and on SGS TAIWAN LTD. Chemical Laboratory - Taipei



Test Report Page: 2 of 6 No.: CE/2012/34847 Date: 2012/03/26

HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED 26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY **CHINA**

Test Result(s)

PART NAME No.1 : COPPER COLORED METAL

Toot Itom(a)	Unit	Method	MDL	Result
Test Item(s)	Unit	Method	MIDL	No.1
Cadmium (Cd)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Lead (Pb)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Mercury (Hg)	mg/kg	With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.
Hexavalent Chromium Cr(VI)	**	With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.#	#	Negative
Sum of PBBs	mg/kg		-	n.d.
Monobromobiphenyl	mg/kg	1	5	n.d.
Dibromobiphenyl	mg/kg	1	5	n.d.
Tribromobiphenyl	mg/kg	1	5	n.d.
Tetrabromobiphenyl	mg/kg	1	5	n.d.
Pentabromobiphenyl	mg/kg	1	5	n.d.
Hexabromobiphenyl	mg/kg	1	5	n.d.
Heptabromobiphenyl	mg/kg	1	5	n.d.
Octabromobiphenyl	mg/kg	1	5	n.d.
Nonabromobiphenyl	mg/kg	1	5	n.d.
Decabromobiphenyl	mg/kg	With reference to IEC 62321: 2008	5	n.d.
Sum of PBDEs	mg/kg	and performed by GC/MS.	-	n.d.
Monobromodiphenyl ether	mg/kg	1	5	n.d.
Dibromodiphenyl ether	mg/kg	1	5	n.d.
Tribromodiphenyl ether	mg/kg	1	5	n.d.
Tetrabromodiphenyl ether	mg/kg	1	5	n.d.
Pentabromodiphenyl ether	mg/kg		5	n.d.
Hexabromodiphenyl ether	mg/kg		5	n.d.
Heptabromodiphenyl ether	mg/kg		5	n.d.
Octabromodiphenyl ether	mg/kg	1	5	n.d.
Nonabromodiphenyl ether	mg/kg	1	5	n.d.
Decabromodiphenyl ether	mg/kg]	5	n.d.



No.: CE/2012/34847 Date: 2012/03/26 Page: 3 of 6

HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED 26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY **CHINA**

Note:

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected
- 3. MDL = Method Detection Limit
- 4. " " = Not Regulated
- 5. ** = Qualitative analysis (No Unit)
- 6. # = a. Positive means the presence of CrVI on the tested areas
 - b. Negative means the absence of CrVI on the tested areas

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² tested areas.




No.: CE/2012/34847

Page: 4 of 6 Date: 2012/03/26

HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED 26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY **CHINA**

- 1) These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 2) Name of the person who made measurement: Climbgreat Yang
- 3) Name of the person in charge of measurement: Troy Chang





No.: CE/2012/34847


Date: 2012/03/26

Page: 5 of 6

HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED 26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY **CHINA**

PBB/PBDE analytical FLOW CHART

- Name of the person who made measurement: Roman Wong
- Name of the person in charge of measurement: Troy Chang





No.: CE/2012/34847 Date: 2012/03/26 Page: 6 of 6

HONGKONG ZHENG ZEXIANG INDUSTRIAL DEV. LIMITED 26-28 BUILDING LISONGLANG SECOND INDUSTRIAL AREA GONGMING TOWN, SHENZHEN CITY **CHINA**

* The tested sample / part is marked by an arrow if it's shown on the photo. *

CE/2012/34847



** End of Report **



Signature Not Verified For Question Please Contact with SGS www.tw.sgs.qom

測試報告 **Test Report**

號碼(No.): CE/2012/41099 日期(Date): 2012/04/12 頁數(Page): 1 of 8

岱暉雷子化學股份有限公司 / DYFENCO ELECTRONICS CHEMICAL CORP. (永金金屬材料(東莞)有限公司 / FOREVER GOLD METAL MATERIAL (D.G.) CO., LTD.) (蘇州岱暉電子貿易公司 / SUZHOU DYFENCO ELECTRONIC ENTERPRISE CO., LTD.) 高雄市燕巢區角宿村四林路136號 / NO. 136, SU LIN ROAD, YANCHAO DISTRICT, KAOHSIUNG CITY 82446, TAIWAN (R. O. C.))

以下測試樣品係由客户送樣,且由客户聲稱並經客户確認如下 (The following samples was/were submitted and identified by/on behalf of the client as):

樣品名稱(Sample Description) LEAD FREE SOLDER(無鉛焊錫)

樣品型號(Style/Item No.) 電鍍陽極(半球) (ELECTROPLATING ANODES(HALF BALL))

收件日期(Sample Receiving Date) 2012/04/05

測試期間(Testing Period) 2012/04/05 TO 2012/04/12

測試結果(Test Results)

請見下一頁 (Please refer to next pages).





號碼(No.): CE/2012/41099 日期(Date): 2012/04/12 頁數(Page): 2 of 8

岱暉電子化學股份有限公司 / DYFENCO ELECTRONICS CHEMICAL CORP. (永金金屬材料(東莞)有限公司 / FOREVER GOLD METAL MATERIAL (D.G.) CO., LTD.) (蘇州岱暉電子貿易公司 / SUZHOU DYFENCO ELECTRONIC ENTERPRISE CO., LTD.) 高雄市燕巢區角宿村四林路136號 / NO. 136, SU LIN ROAD, YANCHAO DISTRICT, KAOHSIUNG CITY 82446, TAIWAN (R. O. C.))



測試結果(Test Results)

測試部位(PART NAME) No.1: 銀色金屬 (SILVER COLORED METAL)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1	
鎬 / Cadmium (Cd)	mg/kg	參考IEC 62321: 2008方法,以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	
鉛 / Lead (Pb)	mg/kg	參考IEC 62321: 2008方法, 以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	16	
汞 / Mercury (Hg)	mg/kg	參考IEC 62321: 2008方法,以感應耦合電漿原子發射光譜儀檢測. / With reference to IEC 62321: 2008 and performed by ICP-AES.	2	n.d.	
六價絡 / Hexavalent Chromium Cr(VI)	**	参考IEC 62321: 2008方法,以沸水萃取法方法檢測./With reference to IEC 62321: 2008 and performed by Boiling water extraction Method.#	#	Negative	
鹵素 / Halogen					
鹵素(氟)/ Halogen-Fluorine (F) (CAS No.: 14762-94-8)			50	n.d.	
鹵素(氯)/ Halogen-Chlorine (C1) (CAS No.: 22537-15-1)	/1	參考BS EN 14582:2007, 以離子層 析儀分析. / With reference to	50	n.d.	
鹵素(溴)/ Halogen-Bromine (Br) (CAS No.: 10097-32-2)	mg/kg	BS EN 14582:2007. Analysis was performed by IC.	50	n.d.	
鹵素(碘)/ Halogen-Iodine (I) (CAS No.: 14362-44-8)			50	n.d.	



號碼(No.): CE/2012/41099 日期(Date): 2012/04/12 頁數(Page): 3 of 8

岱暉電子化學股份有限公司 / DYFENCO ELECTRONICS CHEMICAL CORP. (永金金屬材料(東莞)有限公司 / FOREVER GOLD METAL MATERIAL (D.G.) CO., LTD.) (蘇州岱暉電子貿易公司 / SUZHOU DYFENCO ELECTRONIC ENTERPRISE CO., LTD.) 高雄市燕巢區角宿村四林路136號 / NO. 136, SU LIN ROAD, YANCHAO DISTRICT, KAOHSIUNG CITY 82446, TAIWAN (R. O. C.))

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限値 (MDL)	結果 (Result) No.1
多溴聯苯總和 / Sum of PBBs			-	n.d.
一溴聯苯 / Monobromobiphenyl			5	n.d.
二溴聯苯 / Dibromobiphenyl			5	n.d.
三溴聯苯 / Tribromobiphenyl			5	n.d.
四溴聯苯 / Tetrabromobiphenyl			5	n.d.
五溴聯苯 / Pentabromobiphenyl			5	n.d.
六溴聯苯 / Hexabromobiphenyl			5	n.d.
七溴聯苯 / Heptabromobiphenyl		参考IEC 62321: 2008方法,以氣	5	n.d.
八溴聯苯 / Octabromobiphenyl			5	n.d.
九溴聯苯 / Nonabromobiphenyl			5	n.d.
十溴聯苯 / Decabromobiphenyl	mg/kg	相層析/質譜儀檢測./ With	5	n.d.
多溴聯苯 總和 / Sum of PBDEs	mg/ kg	reference to IEC 62321: 2008 and performed by GC/MS.	_	n.d.
一溴聯苯 / Monobromodiphenyl ether			5	n.d.
二溴聯苯 / Dibromodiphenyl ether			5	n.d.
三溴聯苯 / Tribromodiphenyl ether			5	n.d.
四溴聯苯 / Tetrabromodiphenyl ether			5	n.d.
五溴聯苯 / Pentabromodiphenyl ether			5	n.d.
六溴聯苯 / Hexabromodiphenyl ether			5	n.d.
七溴聯苯 / Heptabromodiphenyl ether			5	n.d.
八溴聯苯 / Octabromodiphenyl ether			5	n.d.
九溴聯苯 / Nonabromodiphenyl ether			5	n.d.
十溴聯苯 / Decabromodiphenyl ether			5	n.d.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested. This test report cannot be reproduced, except in full, without prior written permission of the Company.除非另有說明,此報告結果僅對測試之樣品負責。本報告未經本公司書面許可,不可部分複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms_and_conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/Terms-and-Conditions/Terms-e-Document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



號碼(No.): CE/2012/41099 日期(Date): 2012/04/12 頁數(Page): 4 of 8

岱暉電子化學股份有限公司 / DYFENCO ELECTRONICS CHEMICAL CORP. (永金金屬材料(東莞)有限公司 / FOREVER GOLD METAL MATERIAL (D.G.) CO., LTD.) (蘇州岱暉電子貿易公司 / SUZHOU DYFENCO ELECTRONIC ENTERPRISE CO., LTD.) 高雄市燕巢區角宿村四林路136號 / NO. 136, SU LIN ROAD, YANCHAO DISTRICT, KAOHSIUNG CITY 82446, TAIWAN (R. O. C.))



備註(Note):

- 1. mg/kg = ppm ; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. **= Qualitative analysis (No Unit) 定性分析(無單位)
- 6. # = a. Positive means the presence of CrVI on the tested areas (Positive表示測試區域偵測到六價鉻)
 - b. Negative means the absence of CrVI on the tested areas (Negative表示測試區域未偵測到六價鉻)

The detected concentration in boiling-water-extraction solution is equal or greater than 0.02 mg/kg with 50 cm² tested areas. / 該溶液濃度≧0.02 mg/kg with 50 cm² (tested areas)




號碼(No.): CE/2012/41099 日期(Date): 2012/04/12 頁數(Page): 5 of 8

岱暉電子化學股份有限公司 / DYFENCO ELECTRONICS CHEMICAL CORP. (永金金屬材料(東莞)有限公司 / FOREVER GOLD METAL MATERIAL (D.G.) CO., LTD.) (蘇州岱暉電子貿易公司 / SUZHOU DYFENCO ELECTRONIC ENTERPRISE CO., LTD.) 高雄市燕巢區角宿村四林路136號 / NO. 136, SU LIN ROAD, YANCHAO DISTRICT, KAOHSIUNG CITY 82446, TAIWAN (R. O. C.))



- 1) 根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外) / These samples were dissolved totally by pre-conditioning method according to below flow chart. (Cr⁶⁺ test method excluded)
- 測試人員:楊登偉 / Name of the person who made measurement: Climbareat Yang
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





號碼(No.): CE/2012/41099 日期(Date): 2012/04/12 頁數(Page): 6 of 8

岱暉電子化學股份有限公司 / DYFENCO ELECTRONICS CHEMICAL CORP. (永金金屬材料(東莞)有限公司 / FOREVER GOLD METAL MATERIAL (D.G.) CO., LTD.) (蘇州岱暉電子貿易公司 / SUZHOU DYFENCO ELECTRONIC ENTERPRISE CO., LTD.) 高雄市燕巢區角宿村四林路136號 / NO. 136, SU LIN ROAD, YANCHAO DISTRICT, KAOHSIUNG CITY 82446, TAIWAN (R. O. C.))




多溴聯苯/多溴聯苯 分析流程圖 / PBB/PBDE analytical FLOW CHART

- 測試人員: 翁賜彬 / Name of the person who made measurement: Roman Wong
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang

初次測試程序 / First testing process -選擇性篩檢程序 / Optional screen process •••

確認程序 / Confirmation process - - - - ▶






號碼(No.): CE/2012/41099 日期(Date): 2012/04/12 頁數(Page): 7 of 8

岱暉電子化學股份有限公司 / DYFENCO ELECTRONICS CHEMICAL CORP. (永金金屬材料(東莞)有限公司 / FOREVER GOLD METAL MATERIAL (D.G.) CO., LTD.) (蘇州岱暉電子貿易公司 / SUZHOU DYFENCO ELECTRONIC ENTERPRISE CO., LTD.) 高雄市燕巢區角宿村四林路136號 / NO. 136, SU LIN ROAD, YANCHAO DISTRICT, KAOHSIUNG CITY 82446, TAIWAN (R. O. C.))



鹵素分析流程圖 / Analytical flow chart of halogen content

- 測試人員: 陳恩臻 / Name of the person who made measurement: Rita Chen
- 測試負責人:張啓興 / Name of the person in charge of measurement: Troy Chang





號碼(No.): CE/2012/41099 日期(Date): 2012/04/12 頁數(Page): 8 of 8


岱暉電子化學股份有限公司 / DYFENCO ELECTRONICS CHEMICAL CORP. (永金金屬材料(東莞)有限公司 / FOREVER GOLD METAL MATERIAL (D.G.) CO., LTD.) (蘇州岱暉電子貿易公司 / SUZHOU DYFENCO ELECTRONIC ENTERPRISE CO., LTD.) 高雄市燕巢區角宿村四林路136號 / NO. 136, SU LIN ROAD, YANCHAO DISTRICT, KAOHSIUNG CITY 82446, TAIWAN (R. O. C.))



* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. *

(The tested sample / part is marked by an arrow if it's shown on the photo.)

CE/2012/41099



** 報告結尾(End of Report) **



Test Report No. CANEC1201952502 Date: 07 Mar 2012 Page 1 of 5

SHUN HE PRINTING MATERIAL CO.,LTD

5F, BLOCK 3, HONGTIAN JINQIAO INDUSTRIAL ZONE, HONGTIAN VILLAGE, SHAJING TOWN, BAOAN DISTRICT, SHENZHEN CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as: INK (in Chinese as油墨)

SGS Job No.: CP12-007813 - SZ

Model No. : MPL-1002

Date of Sample Received : 01 Mar 2012

Testing Period : 01 Mar 2012 - 07 Mar 2012

Test Requested: Selected test(s) as requested by client.

Test Method : Please refer to next page(s).

Test Results : Please refer to next page(s).

Conclusion: Based on the performed tests on selected part of submitted sample(s), the

results of Lead, Mercury, Cadmium, Hexavalent chromium, Polybrominated biphenyls (PBB), Polybrominated diphenyl ethers (PBDE) comply with the limits

in RoHS Directive 2011/65/EU Annex II; recasting 2002/95/EC.

Signed for and on behalf of SGS-CSTC Ltd.

Merry Lv

Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at httm.and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability incommitted in a property of the company's findings at the time of its integration of the activities of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from the content of the property of the content of the content of the content of the company. In authorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Test Report No. CANEC1201952502 Date: 07 Mar 2012 Page 2 of 5

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description

1 CAN12-019525.002 White ink

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

RoHS Directive 2011/65/EU

Test Method: With reference to IEC 62321:2008

(1) Determination of Cadmium by ICP-OES.

(2) Determination of Lead by ICP-OES.

(3) Determination of Mercury by ICP-OES.

(4) Determination of Hexavalent Chromium by Colorimetric Method using UV-Vis.

(5) Determination of PBBs / PBDEs content by GC-MS.

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>
Cadmium (Cd)	100	mg/kg	2	ND
Lead (Pb)	1,000	mg/kg	2	ND
Mercury (Hg)	1,000	mg/kg	2	ND
Hexavalent Chromium (CrVI)	1,000	mg/kg	2	ND
Sum of PBBs	1,000	mg/kg	-	ND
Monobromobiphenyl	-	mg/kg	5	ND
Dibromobiphenyl	-	mg/kg	5	ND
Tribromobiphenyl	-	mg/kg	5	ND
Tetrabromobiphenyl	-	mg/kg	5	ND
Pentabromobiphenyl	-	mg/kg	5	ND
Hexabromobiphenyl	-	mg/kg	5	ND
Heptabromobiphenyl	-	mg/kg	5	ND
Octabromobiphenyl	-	mg/kg	5	ND
Nonabromobiphenyl	-	mg/kg	5	ND
Decabromobiphenyl	-	mg/kg	5	ND
Sum of PBDEs	1,000	mg/kg	-	ND
Monobromodiphenyl ether	-	mg/kg	5	ND

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and conditions. <a href="http://www.sgs.com/terms e-document. <a href="http://www.sgs.co

198 Kezhu Road,Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.cn.sgs.com中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com



Test Report	No. CANEC1201952502		Date: 07 Mar 2012		Page 3 of 5
Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>	
Dibromodiphenyl ether	-	mg/kg	5	ND	
Tribromodiphenyl ether	-	mg/kg	5	ND	
Tetrabromodiphenyl ether	-	mg/kg	5	ND	
Pentabromodiphenyl ether	-	mg/kg	5	ND	
Hexabromodiphenyl ether	-	mg/kg	5	ND	
Heptabromodiphenyl ether	-	mg/kg	5	ND	
Octabromodiphenyl ether	-	mg/kg	5	ND	
Nonabromodiphenyl ether	-	mg/kg	5	ND	
Decabromodiphenyl ether	-	mg/kg	5	ND	

Notes:

(1) The maximum permissible limit is quoted from the directive 2011/65/EU, Annex II

Remark: The result(s) shown is of the total weight of dried sample.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.htm and for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability integripments and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of the transaction of the company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. The unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is the content of the law is the sample of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

198 Kezhu Road,Scientech Park Guangzhou Economic & Technology Development District,Guangzhou,China 510663 t (86-20) 82155555 f (86-20) 82075113 www.cn.sgs.com 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com

Member of the SGS Group (SGS SA)




No. CANEC1201952502

Date: 07 Mar 2012 Page 4 of 5

ATTACHMENTS

RoHS Testing Flow Chart

- 1) Name of the person who made testing: Bella Wang / Cutey Yu / Ross Zhan
- 2) Name of the person in charge of testing: Adams Yu / Ryan Yang
- 3) These samples were dissolved totally by pre-conditioning method according to below flow chart (Cr⁶⁺ and PBBs/PBDEs test method excluded).



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_and_conditions. http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability incommitted in an jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intercention of the jurisdiction issues defined therein. Any holder of this document is not intercention of the jurisdiction of the company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from examples and obligations under the transaction document cannot be reproduced except in full, without prior written approval of the Company. The company is a state of the company of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

198 Kezhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075113 www.cn.sgs.com中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075113 e sgs.china@sgs.com



No. CANEC1201952502

Date: 07 Mar 2012

Page 5 of 5

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.
http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability indemnity of one and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its preparation of the part of the sold of the

fices Co., Ltd. 198 Kezhu Road,Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075113 www.cn.sgs.com 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 f (86–20) 82075113 e sgs.china@sgs.com



Test Report No. CANEC1112635002 Date: 05 Jan 2012 Page 1 of 4

SHUN HE PRINTING MATERIAL CO.,LTD

5F, BLOCK 3, HONGTIAN JINQIAO INDUSTRIAL ZONE, HONGTIAN VILLAGE, SHAJING TOWN, BAOAN DISTRICT, SHENZHEN CHINA

The following sample(s) was/were submitted and identified on behalf of the clients as: INK

SGS Job No.: CP11-016430 - SZ

Model No. : MPL-1002

Date of Sample Received : 30 Dec 2011

Testing Period: 30 Dec 2011 - 05 Jan 2012

Test Requested: Selected test(s) as requested by client.

Test Method : Please refer to next page(s).

Test Results : Please refer to next page(s).

Signed for and on behalf of SGS-CSTC Ltd.

Merry Lv

Approved Signatory

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms and conditions. httm and conditions. <a href="https://www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability incommitted in and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its presention of the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction of the exercising all the parties of the provided except in full, without prior written approval of the Company. https://www.sgs.com/terms e-document.htm. Attention is drawn to the limits of Client's limitation of its document is advised that information contained hereon reflects the Company's sole responsibility is to its Client and this document document of its Client and this document document on the content of the summary and the content of the content of the company. The company of the content of the sample(s) tested.



No. CANEC1112635002

Date: 05 Jan 2012

Page 2 of 4

Test Results:

Test Part Description:

Specimen No. SGS Sample ID Description

1 CAN11-126350.002 White ink

Remarks:

(1) 1 mg/kg = 1 ppm = 0.0001%

(2) MDL = Method Detection Limit

(3) ND = Not Detected (< MDL)

(4) "-" = Not Regulated

<u>Halogen</u>

Test Method: With reference to EN 14582: 2007, analysis was performed by Ion Chromatograph (IC).

Test Item(s)	<u>Limit</u>	<u>Unit</u>	<u>MDL</u>	<u>002</u>
Fluorine (F)	-	mg/kg	50	ND
Chlorine (CI)	-	mg/kg	50	236
Bromine (Br)	-	mg/kg	50	ND
lodine (I)	-	mg/kg	50	ND

Remark: The result(s) shown is of the total weight of dried sample.

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at httm.and.for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability incommitted in an incompany subject to Terms and Conditions. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its presention of the same time of its presention of the same time of the transaction of the company's sole responsibility is to its Client and this document does not exonerate parties to a transaction of the content or appearance of this document cannot be reproduced except in full, without prior written approval of the Company. The unauthorized altergion, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Julies of the provided that the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

*** Wices Co., Lid. 198 Kezhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075113 www.cn.sgs.com 中国・广州・经济技术开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 f (86–20) 82075113 e sgs.china@sgs.com



No. CANEC1112635002


Page 3 of 4

Date: 05 Jan 2012

ATTACHMENTS

Halogen Testing Flow Chart

- 1) Name of the person who made testing: Bob Song
- 2) Name of the person in charge of testing: Rain Qiao



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions. htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability indemnity of memory in the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all they rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. The company is unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

The company is a transaction of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



No. CANEC1112635002

Date: 05 Jan 2012

Page 4 of 4

Sample photo:



SGS authenticate the photo on original report only

*** End of Report ***

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/terms_and_conditions.
http://www.sgs.com/terms_e-document.htm. Attention is drawn to the limitation of liability indemnity of one and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its preparation of the part of the sold of the

198 Kezhu Road, Scientech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86–20) 82155555 f (86–20) 82075113 www.cn.sgs.com 中国 - 广州 - 经济技术开发区科学城科珠路198号 邮编: 510663 t (86–20) 82155555 f (86–20) 82075113 e sgs.china@sgs.com