

MATERIAL DECLARATION SHEET

BOURNS®

Material Number	CRS 2512				
Product Line	High power & anti-surge chip resistors				
Compliance Date	5-24-2013				
RoHS Compliant	Yes (Lead Exemption)	MSL	1		

No.	Construction Element(subpart)	Homogeneous Material	Material weight [mg]	Homogeneous Material\ Substances	CASRN if applicable	Materials Mass %	Material Mass % of total unit wt.	Subpart mass of total wt. (%)	
1	Ceramic	Substrate	34.7435	Aluminum oxide	1344-28-1	96	83.687	87.174	
				Silicon dioxide	7631-86-9	4	3.487		
				Magnesium oxide	1309-48-4				
2	Top conductor	Silver	0.6157	Silver	7440-22-4	100	1.545	1.545	
3	Bottom conductor	Silver	0.3152	Silver	7440-22-4	100	0.791	0.791	
4	Resistor	Silver Palladium	0.3821	Silver	7440-22-4	40	0.383	0.959	
				Ruthenium dioxide	12036-10-1	20	0.192		
				Palladium	7440-05-3	15	0.144		
				Lead-containing Glass	7439-92-1	25.0	0.240		

MATERIAL DECLARATION

5	First encapsulating	Resin	0.3685	Glass	65997-18-4	92	0.851	0.925
				Chromium oxide	1308-38-9	8	0.074	
6	Overcoat	Resin	0.8454	Resin	25036-25-3	100	2.121	2.121
7	Side conductor	Silver	0.8142	Silver	7440-22-4	85	1.737	2.043
				Resin	9003-36-5	15	0.306	
8	Plating (Middle)	Nickel	0.6872	Nickel	7440-02-0	100	1.724	1.724
9	Plating (Outer)	Tin	1.0308	Tin	7440-31-5	100	2.586	2.586
10	Marking	Resin	0.0525	Resin	25068-38-6	70	0.092	0.132
				Titanium oxide	1317-80-2	30	0.040	
		Total weight	39.8551					

This Document was updated on: 08/26/2019

Important remarks:

1. It is the responsibility of the user to verify they are accessing the latest version.
2. Lead exemption – 7c-l