


MATERIAL DECLARATION SHEET



Material Number	SRP0410 Series			
Product Line	Shielded SMD Power Inductor			
Compliance Date	2019 / 08 / 26			
RoHS Compliant	YES	MSL	1	

No.	Construction Element(subpart)	Homogeneous Material	Material weight [g]	Homogeneous Material\ Substances	CASRN if applicable	Materials Mass %	Material Mass % of total unit wt.	Subpart mass of total wt. (%)
1	Core	Magnetic alloy powder	0.062	Iron	7439-89-6	56.70	43.943	77.5
				Silicon	7440-21-3	9.50	7.363	
				Chromium	7440-47-3	7.50	5.813	
				Oxygen	7782-44-7	1.50	1.163	
				Carbon	7440-44-0	0.90	0.698	
				Sulphur	7704-34-9	0.90	0.698	
				Phenol formaldehyde	9003-35-4	9.50	7.363	
				Phosphoric acid	7664-38-2	4.50	3.488	
				Epoxy	25036-25-3	4.50	3.488	
				Polyester	70729-94-1	4.50	3.488	
2	Wire	EDFB-X	0.009	Copper	7440-50-8	92.5	10.406	11.25
				Polyamide Resin	63428-84-2	5.0	0.563	
				Acryl Resin	-	2.5	0.281	
3	Terminal	Ag. C5210	0.007	Copper	7440-50-8	93.467	8.178	8.75
				Tin	7440-31-5	4.0%	0.350	
				Phosphorus	7723-14-0	0.033	0.003	
				Silver	7440-22-4	2.5	0.219	
4	Adhesive	JD034-6	0.001	Epoxy resin 1	25085-99-8	25.0	0.313	1.25
				Epoxy resin 2	-	19.0	0.238	
				Dicyanodiamide	461-58-5	8.0	0.100	
				Polyamine	-	5.0	0.063	
				Fumed silica	112945-52-5	1.0	0.013	
				Silica	7621-86-9	42.0	0.525	

MATERIAL DECLARATION SHEET

BOURNS®

5	Mark Seal	TAT INDELIBLE INK - STSG	0.001	Synthetic resin	-	75.0	0.094	1.26
				Carbon black	1333-86-4	25.0	0.031	
		Total weight	0.080					

This Document was updated on: 2019/08/26

Important remarks:

1. It is the responsibility of the user to verify they are accessing the latest version.