BOURNS

New Product Release

SINGLFUSE™ SMD FUSES



Bourns SinglFuse Product Line Announces New 0603 SMD Fast Acting Precision Thin Film Fuses

Model SF-0603FPxxxF Series

Riverside, California - April 27, 2018 - Bourns is pleased to announce the introduction of a new line of 0603 Fast Acting Precision Thin Film SinglFuse™ SMD Fuses to complement its already successful line of SinglFuse™ SMD Fuse products.

Series	Size	Fuse Type	Rated Current	Rated Voltage	UL Listed	RoHS Compliant*	Halogen Free**
SF-0603FPxxxF	0603	Fast Acting	150 mA to 1.5 A	65 Vdc	Yes	Yes	Yes
	(1608)	Precision	1.75 A to 5.0 A	35 Vdc			

Bourns continues to broaden its portfolio of <u>SinglFuse[™] SMD Fuses</u> to address the growing need for effective circuit protection in a variety of applications including PCs and monitors, server farms, portable memory, cell phones and tablets, digital cameras, gaming systems, set-top boxes, drones and robotics, white goods, battery chargers, and industrial controllers.

The Bourns® SinglFuse™ SMD Fuse products are RoHS compliant* and halogen free**. For additional information, please visit the Bourns website at www.bourns.com. Should you have any questions, please feel free to contact Bourns Customer Service/Inside Sales.

Features

- Single blow fuse for overcurrent protection
- 1608 (0603) miniature footprint
- UL 248-14 listed
- Surface mount packaging for automated assembly
- Thin film chip design
- RoHS compliant* and halogen free**

Applications

- Portable memory
- LCD monitors
- Disk drives
- PDAs
- Digital cameras
- MP3 players
- Cell phones
- Rechargeable battery packs
- Battery chargers
- Set-top boxes

- Industrial controllers
- Battery Management Systems (BMS)
- LED lighting
- Power tools

SF1808

 Americas:
 Tel: +1-951 781-5500
 EMEA:
 Tel: +36 88 520 390
 Asia-Pacific:
 Tel: +886-2 2562-4117

 americus@bourns.com
 eurocus@bourns.com
 asiacus@bourns.com
 asiacus@bourns.com

^{*} RoHS Directive 2015/863, Mar 31, 2015 and Annex.

^{**} Bourns considers a product to be "halogen free" if (a) the Bromine (Br) content is 900 ppm or less; (b) the Chlorine (Cl) content is 900 ppm or less; and (c) the total Bromine (Br) and Chlorine (Cl) content is 1500 ppm or less.